



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.
Southern California Laboratory
6360 Gateway Drive, Cypress, CA 90630
Tel. 209/ 549 7508 Fax. 714/ 226 0009

Table with COA No: SCA-41979681-0, Supersedes: None, COA Date: 1/18/19, Page 16 of 23

TO:
Mr. Zane Christopher
Lost Empire Herbs
195 Aviation Way
Watsonville, CA 95076

Table with Received From: Watsonville, CA, Received Date: 1/11/19

Table with Location of Test: (except where noted) Cypress, CA

Analytical Results

Desc. 1: SEA2501013118
Desc. 2: SEA BUCKTHORN

Laboratory ID: 384408832
Condition Rec'd: NORMAL
Temp Rec'd (°C): 19.0

Table with columns: Analyte, Result, Units, Method Reference, Test Date Loc. Rows include ICP MS Full Mineral Screen and various elements like Aluminum, Antimony, Arsenic, etc.

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.



**CERTIFICATE OF ANALYSIS**

**SILLIKER, Inc.**  
**Southern California Laboratory**  
6360 Gateway Drive, Cypress, CA 90630  
Tel. 209/ 549 7508 Fax. 714/ 226 0009

COA No:	SCA-41979681-0
Supersedes:	None
COA Date	1/18/19
Page 17 of 23	

**TO:**  
Mr. Zane Christopher  
Lost Empire Herbs  
195 Aviation Way  
Watsonville, CA 95076

Received From:	Watsonville, CA
Received Date:	1/11/19

<b>Location of Test: (except where noted)</b> Cypress, CA
--

**Analytical Results**

<b>Desc. 1:</b>	SEA2501013118	<b>Laboratory ID:</b>	384408832		
<b>Desc. 2:</b>	SEA BUCKTHORN	<b>Condition Rec'd:</b>	NORMAL		
		<b>Temp Rec'd (°C):</b>	19.0		
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Method Reference</b>	<b>Test Date</b>	<b>Loc.</b>
Zinc	1.58	ppm (w/w)			
Zirconium	0.2	ppm (w/w)			
Loss on Drying - USP	8.04	% (w/w)	USP/NF Current Ver.	1/16/19	BRN

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results.

Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Testing Services apply.